

Reiseimpfungen mit spezieller Indikation:

Gelbfieber, Tollwut, Japanische Enzephalitis, Typhus, Meningokokken

Ursula WIEDERMANN, Herwig KOLLARITSCH, Andrea GRISOLD, Christoph HATZ, Ursula HOLLENSTEIN, Heidemarie HOLZMANN, Maria KITCHEN, Ingomar MUTZ, Florian THALHAMMER, Angelika WAGNER, Günter WEISS & Christoph WENISCH

Intrinsic Activity, 2019; **7**(1):e1

doi:[10.25006/IA.7.1-e1](https://doi.org/10.25006/IA.7.1-e1)

SUPPLEMENTARY MATERIAL

ENGLISH ABSTRACT*

[Travel vaccinations with special indication: yellow fever, rabies, Japanese encephalitis, typhoid fever, meningococci]

New World Health Organization (WHO) recommendations on yellow fever and rabies vaccines have led to discussions among professionals and, as a consequence, to different approaches in several European countries.

In order not to create uncertainty among physicians and travelers, this expert statement (prepared by the Austrian Society of Vaccinology in cooperation with the Reference Center for Vaccinations of the Ministry of Social Affairs [ISPTM, MedUniWien], the Austrian Society for Infectious Diseases and Tropical Medicine and the Austrian Society for Tropical Medicine, Parasitology and Migration Medicine), aims at harmonising recommendations in Austria for vaccination on the basis of existing scientific evidence as well as technical/theoretical considerations. Apart from the two vaccines mentioned, the vaccines against Japanese encephalitis, typhoid fever and meningococci are also to be considered travel vaccinations with special indication. For these vaccinations as well, different recommendations and practical approaches were developed.

The recommendations developed in the following document should therefore be understood as a supplement to the travel vaccinations described in the Austrian Vaccination Plan.



*Translation of summarising section(s) of the original paper created by the editorial board of *Intrinsic Activity*.